

EVT WINDOW 70

Page: 1 Compilation date: 25.04.2015 Revision date: 9.4.2015 Revision No: 2

Section 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name:	EVT WINDOW 70
1.2. Relevant identified use	es of the substance or mixture and uses advised against
Use of substance / mixture:	PC1: Adhesives, sealants.
1.3. Details of the supplier	of the safety data sheet
Company name:	FS Kunststofftechnologie GmbH & Co. KG
	Division EVT Sealants
	Hahnenseifenerstraße 15
	D - 51580 Reichshof - Hahn
	Germany
	+49 2297 91030
	+49 2297 1826
	info@fs-kunststoff.com
1.4. Emergency telephone	number
Section 2: Hazards identification	on
2.1. Classification of the s	ubstance or mixture
2.1. Classification of the second classification under CLP:	
Classification under CLP:	
Classification under CLP:	-: EUH208; -: EUH210
Classification under CLP: Classification under CHIP:	-: EUH208; -: EUH210
Classification under CLP: Classification under CHIP: 2.2. Label elements Label elements:	-: EUH208; -: EUH210
Classification under CLP: Classification under CHIP: 2.2. Label elements Label elements:	-: EUH208; -: EUH210 This product has no classification under CHIP.
Classification under CLP: Classification under CHIP: 2.2. Label elements Label elements:	-: EUH208; -: EUH210 This product has no classification under CHIP. EUH208: Contains 2-butanonoxime, n-(3-(trimethoxysilyl)propyl)ethylendiamine. May
Classification under CLP: Classification under CHIP: 2.2. Label elements Label elements:	-: EUH208; -: EUH210 This product has no classification under CHIP. EUH208: Contains 2-butanonoxime, n-(3-(trimethoxysilyl)propyl)ethylendiamine. May produce an allergic reaction.
Classification under CLP: Classification under CHIP: 2.2. Label elements Label elements: Hazard statements: Label elements under CHIP:	-: EUH208; -: EUH210 This product has no classification under CHIP. EUH208: Contains 2-butanonoxime, n-(3-(trimethoxysilyl)propyl)ethylendiamine. May produce an allergic reaction.
Classification under CLP: Classification under CHIP: 2.2. Label elements Label elements: Hazard statements: Label elements under CHIP:	-: EUH208; -: EUH210 This product has no classification under CHIP. EUH208: Contains 2-butanonoxime, n-(3-(trimethoxysilyl)propyl)ethylendiamine. May produce an allergic reaction. EUH210: Safety data sheet available on request.
Classification under CLP: Classification under CHIP: 2.2. Label elements Label elements: Hazard statements: Label elements under CHIP:	-: EUH208; -: EUH210 This product has no classification under CHIP. EUH208: Contains 2-butanonoxime, n-(3-(trimethoxysilyl)propyl)ethylendiamine. May produce an allergic reaction. EUH210: Safety data sheet available on request. Contains 2-butanone oxime. May produce an allergic reaction.
Classification under CLP: Classification under CHIP: 2.2. Label elements Label elements: Hazard statements: Label elements under CHIP: Precautionary phrases: 2.3. Other hazards	-: EUH208; -: EUH210 This product has no classification under CHIP. EUH208: Contains 2-butanonoxime, n-(3-(trimethoxysilyl)propyl)ethylendiamine. May produce an allergic reaction. EUH210: Safety data sheet available on request. Contains 2-butanone oxime. May produce an allergic reaction.
Classification under CLP: Classification under CHIP: 2.2. Label elements Label elements: Hazard statements: Label elements under CHIP: Precautionary phrases: 2.3. Other hazards	-: EUH208; -: EUH210 This product has no classification under CHIP. EUH208: Contains 2-butanonoxime, n-(3-(trimethoxysilyl)propyl)ethylendiamine. May produce an allergic reaction. EUH210: Safety data sheet available on request. Contains 2-butanone oxime. May produce an allergic reaction. Safety data sheet available for professional user on request. This product is not identified as a PBT/vPvB substance.

# 3.2. Mixtures

# Hazardous ingredients:

METHYLTRIS(2-BUTANONOXIM)SILAN - REACH registered number(s): 01-2119987100-43-0000

EINECS	CAS	CHIP Classification	CLP Classification	Percent
245-366-4	22984-54-9	Sens.: R43	Eye Irrit. 2: H319; Skin Sens. 1: H317; STOT RE 2: H373	1-2%

EVT WINDOW 70

### **Page:** 2

### BUTAN-2-ON-O,O',O"-(VINYLSILYLIDYN)TRIOXIM - REACH registered number(s): 01-2119982966-14-0000

218-747-8	2224-33-1	Sens.: R43; Xi: R41	Eye Dam. 1: H318; STOT RE 2: H373; Skin Sens. 1: H317	<1%
N-(3-(TRIMET	HOXYSILYL)PRO	DPYL)ETHYLENDIAMIN		
217-164-6	1760-24-3	Xn: R20; Xi: R41; Sens.: R43; N: R51/53	Acute Tox. 4: H332; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Chronic 2: H411; Skin Irrit. 2: H315	<1%

# Non-classified ingredients:

KOHLENWASSERSTOFFE, C15-C20, N-ALKANE, ISOALKANE, CYCLOALKANE, < 0,03% AROMATEN - REACH registered number(s): 01-2119827000-58

EINECS	CAS	CHIP Classification	CLP Classification	Percent
934-956-3	64742-46-7	Xn: R65	Asp. Tox. 1: H304	2.5-25%

# Section 4: First aid measures

4.1. Description of first aid measures		
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash	
	immediately with plenty of soap and water. In case of persisting irritation call in a	
	physician. Where possible show the physician container or label.	
Eye contact:	After separating the eyelids immediately flush eyes thoroughly with plenty of water In	
	case eye irritation persists, consult an oculist.	
Ingestion:	Consult a doctor.	
Inhalation:	Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.	
4.2. Most important sympt	oms and effects, both acute and delayed	
Skin contact:	There may be irritation and redness at the site of contact.	
Eye contact:	There may be irritation and redness.	
Inhalation:	Product releases 2-butanonime during curing. After curing, product is odourless and	
	indifferent.	
Delayed / immediate effects:	Delayed effects can be expected after long-term exposure.	
4.3. Indication of any imme	ediate medical attention and special treatment needed	
Immediate / special treatment:	Treat symptomatically.	
Section 5: Fire-fighting measu	res	
5.1. Extinguishing media		
Extinguishing media:	Carbon diavide Dry chamical nauder Mater annay Alashal ar nalymer from Suitable	
6 6	Carbon dioxide. Dry chemical powder. Water spray. Alcohol or polymer foam. Suitable extinguishing media for the surrounding fire should be used.	
	extinguishing media for the surrounding fire should be used. g from the substance or mixture	
5.2. Special hazards arisin	extinguishing media for the surrounding fire should be used. g from the substance or mixture	
5.2. Special hazards arisin	extinguishing media for the surrounding fire should be used. g from the substance or mixture In combustion emits toxic fumes.	
5.2. Special hazards arisin Exposure hazards: 5.3. Advice for fire-fighters	extinguishing media for the surrounding fire should be used. g from the substance or mixture In combustion emits toxic fumes.	
5.2. Special hazards arisin Exposure hazards: 5.3. Advice for fire-fighters	extinguishing media for the surrounding fire should be used. g from the substance or mixture In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact	
5.2. Special hazards arisin Exposure hazards: 5.3. Advice for fire-fighters	extinguishing media for the surrounding fire should be used. g from the substance or mixture In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water	
5.2. Special hazards arisin Exposure hazards: 5.3. Advice for fire-fighters	extinguishing media for the surrounding fire should be used. g from the substance or mixture In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating.	
5.2. Special hazards arisin Exposure hazards: 5.3. Advice for fire-fighters Advice for fire-fighters: Section 6: Accidental release r	extinguishing media for the surrounding fire should be used. g from the substance or mixture In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating. measures	
5.2. Special hazards arisin Exposure hazards: 5.3. Advice for fire-fighters Advice for fire-fighters: Section 6: Accidental release r	extinguishing media for the surrounding fire should be used. g from the substance or mixture In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating.	

EVT WINDOW 70

Page: 3

# 6.2. Environmental precautions Environmental precautions: Do not discharge into drains or rivers. 6.3. Methods and material for containment and cleaning up Clean-up procedures: Refer to section 13 of SDS for suitable method of disposal. Allow curing, the product can be disposed (category: commercial waste, municipal waste) 6.4. Reference to other sections Reference to other sections: Refer to section 8 of SDS. Section 7: Handling and storage 7.1. Precautions for safe handling Handling requirements: Ensure there is sufficient ventilation of the area. Do not eat, drink or smoke during application. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions: Store in a cool, well ventilated area. Avoid contact with water or humidity. Keep away from direct sunlight. Suitable packaging: Must only be kept in original packaging. 7.3. Specific end use(s) Specific end use(s): No data available. Section 8: Exposure controls/personal protection 8.1. Control parameters Workplace exposure limits: No data available. **DNEL/PNEC** Values DNEL / PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is sufficient ventilation of the area. Respiratory protection: Respiratory protection not required. Hand protection: Butyl gloves. Nitrile gloves. PVC gloves. Breakthrough time of the glove material > 1 hour. Eye protection: Safety glasses with side-shields. Skin protection: Protective clothing. Section 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Paste Colour: Various Odour: Characteristic odour Evaporation rate: No data available. Oxidising: No data available. Solubility in water: No data available. Viscosity: Highly viscous Kinematic viscosity: > 40 Viscosity test method: Kinematic viscosity in 10-6 m2/s at 40°C (ISO 3219) Boiling point/range°C: No data available. Melting point/range°C: No data available. Flammability limits %: lower: No data available. [cont...]

EVT WINDOW 70

Flash point°C: >93

Autoflammability°C: No data available. Relative density: ca. 1

VOC g/I: < 30

upper: No data available. Part.coeff. n-octanol/water: No data available. Vapour pressure: No data available. pH: No data available.

Page: 4

9.2. Other information

Other information: No data available.

### Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Humidity. Heat. Direct sunlight.

10.5. Incompatible materials

Materials to avoid: Water. Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic fumes of nitrogen oxides. Silica.

### Section 11: Toxicological information

# 11.1. Information on toxicological effects

### Hazardous ingredients:

#### METHYLTRIS(2-BUTANONOXIM)SILAN

DERMAL	RAT	LD50	> 2000	mg/kg
ORAL	RAT	LD50	2463	mg/kg

### BUTAN-2-ON-O,O',O"-(VINYLSILYLIDYN)TRIOXIM

DERMAL	RAT	LD50	> 2000	mg/kg
ORAL	RAT	LD50	> 2000	mg/kg

Toxicity values: No data available.

#### Symptoms / routes of exposure

 Skin contact:
 There may be irritation and redness at the site of contact.

 Eye contact:
 There may be irritation and redness.

 Inhalation:
 Product releases 2-butanonime during curing. After curing, product is odourless and indifferent.

**Delayed / immediate effects:** Delayed effects can be expected after long-term exposure.

# Section 12: Ecological information

EVT WINDOW 70

Page: 5

### 12.1. Toxicity

### Hazardous ingredients:

### **METHYLTRIS(2-BUTANONOXIM)SILAN**

ALGAE	72H ErC50	18,5	mg/l
Daphnia magna	48H EC50	232	mg/l
FISCH	96H LC50	972	mg/l

#### BUTAN-2-ON-O,O',O"-(VINYLSILYLIDYN)TRIOXIM

ALGAE	72H ErC50	19,2	mg/l
Daphnia magna	48H EC50	241	mg/l
FISCH	96H LC50	1011	mg/l

### 12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Non-volatile. Insoluble in water.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

### Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal operations:	Allow product to cure and dispose [landfilling - category: commercial wastes or municipal wastes].
Waste code number:	08 04 09, 09 04 99
Disposal of packaging:	Empty (clean) container can be disposed off (category: commercial waste, municipal waste).
NB:	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# Section 14: Transport information

### 14.1. UN number

UN number: UN0000

# 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

14.4. Packing group

#### 14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Marine pollutant: No

EVT WINDOW 70

# Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Biocidal Products Regulation (EU 528/2012):"Contains a biocide: Carbendazim."

# 15.2. Chemical Safety Assessment

# **Section 16: Other information**

# Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
Phrases used in s.2 and s.3:	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>
	EUH210: Safety data sheet available on request.
	H304: May be fatal if swallowed and enters airways.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>
	no other routes of exposure cause the hazard>.
	H411: Toxic to aquatic life with long lasting effects.
	R20: Harmful by inhalation.
	R41: Risk of serious damage to eyes.
	R43: May cause sensitisation by skin contact.
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
	R65: Harmful: may cause lung damage if swallowed.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.